



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/812,260	03/29/2004	Shaun Kazuo Wakumoto	200400253-1	2771
22879 7590 10/21/2010 HEWLETT-PACKARD COMPANY Intellectual Property Administration 3404 E. Harmony Road Mail Stop 35 FORT COLLINS, CO 80528				
EXAMINER WONG, WARNER				
ART UNIT 2471		PAPER NUMBER		
NOTIFICATION DATE 10/21/2010		DELIVERY MODE ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM
ipa.mail@hp.com
laura.m.clark@hp.com

Office Action Summary

Application No.

10/812,260

Applicant(s)

WAKUMOTO ET AL.

Examiner

WARNER WONG

Art Unit

2471

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 21 July 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/CD)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Objections

1. Claim 1 is objected to because of the following informalities:

Claim 1 fails to describe "directed cost protocol" limitation as an antecedent for its dependent claims.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3, 8-9, and 15-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bryant (US 2005/0078656) in view of Luo (US 6,377,551) and Dziong (US 2004/0190445).

Regarding claim 1, Bryant describes a method for cost determination for paths between switches in a mesh (fig. 1), comprising:

defining a set of paths between each pair of the mesh switches, each pair comprising a source switch and a destination switch (fig. 1 & para. 6-8, determining from a set of possible routes an optimal route (paths) between pair comprising R1 101 (source switch) and R5 105 (destination switch));

calculating start-up costs for the previously-defined paths (para. 38, calculating the optimal route with the lowest-cost from all possible known (previously defined) routes (start-up costs for the paths));

Bryant also describe its protocol using directed costs (fig. 1, two directional costs in each link & para. 5, a link may have asymmetric cost wherein cost in direction AB is different from cost in direction BA), and recalculating costs for the all (previously defined) paths using a cost protocol (para. 78, re-computing (re-calculating) & comparing LSPs (paths) for the optimal route (path) due to change in cost of a link) by transmitting a directed cost packet down all paths from the destination switch to the source switch for each pair (fig. 1 in view of para. 8 & 28, R5 105 (destination switch) advertises change information throughout the network (to all links/previously defined paths), where advertisements are propagated (para. 34) to R1 (source switch), and comprise associated cost, para. 5), but failed to explicitly describe:

recalculation by transmitting to only the (selected) previously defined paths.

Dziong also describes path calculation via cost, comprising:

recalculation by transmitting to only the (selected) previously defined paths (para. 143, recalculating each of the restoration paths that was determined in a previous step).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to specify that the recalculation of Bryant be done by transmitting to only the selected previously defined paths as in Dziong.

The motivation for combining the teaching is that this yields an scheme that is efficient and timely in recovery of services (Dziong, para. 8).

Regarding claim 2, Bryant further describes:

the directed cost protocol comprises generating at the destination switch a cost packet with path information associated with a specific path (fig. 1 & para. 5, network node R5 (destination switch) advertises (generates) information comprising a cost metric associated to each individual link (a specific path)).

Regarding claim 3, Bryant further describes:

unicasting the cost packet via the specific path to a second switch (para. 6, the generation & propagation (= forwarding) of the link state advertisement packet from one switch/router to another along any one route (specific path) is equivalent to unicasting).

Regarding claim 8, Bryant further describes:

start-up cost packets are flooded through the mesh in order to define the set of paths between each pair of mesh switches and calculate the start-up costs (para. 6, flooding of costs using LSP packets in order to calculate and determine the lowest cost paths between each network node pair).

Regarding claim 9, Bryant describes a mesh network for cost determination for paths between switches in a mesh (fig. 1), comprising:

means for defining a set of paths between each pair of the mesh switches, each pair comprising a first switch and a second switch (fig. 1 & para. 6-8, determining from a set of possible routes an optimal route (paths) between pair comprising R1 101 (source switch) and R5 105 (destination switch));

means for calculating start-up costs for the paths (para. 38, calculating the optimal route with the lowest-cost from all possible routes (start-up costs for the paths));

means for recalculating costs for the previously defined paths using a cost protocol (para. 78, re-computing (re-calculating) & comparing LSPs (paths) for the optimal route (path) due to change in cost of a link) by transmitting a directed cost packet down each of the previously defined paths from the destination switch to the source switch for each pair (fig. 1 in view of para. 8 & 28, R5 105 (second switch) advertises change information throughout the network (to all links/previously defined paths), where advertisements are propagated (para. 34) to R1 (first switch), and comprise associated cost, para. 5).

Bryant also describe its protocol using directed costs (fig. 1, two directional costs in each link & para. 5, a link may have asymmetric cost wherein cost in direction AB is different from cost in direction BA), and recalculating costs for the all (previously defined) paths using a cost protocol (para. 78, re-computing (re-calculating) & comparing LSPs (paths) for the optimal route (path) due to change in cost of a link) by transmitting a directed cost packet down all paths from the destination switch to the source switch for each pair (fig. 1 in view of para. 8 & 28, R5 105 (destination switch) advertises change information throughout the network (to all links/previously defined paths), where advertisements are propagated (para. 34) to R1 (source switch), and comprise associated cost, para. 5), but failed to explicitly describe:

recalculation by transmitting to only the (selected) previously defined paths.

Dziong also describes path calculation via cost, comprising:

recalculation by transmitting to only the (selected) previously defined paths (para. 143, recalculating each of the restoration paths that was determined in a previous step).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to specify that the recalculation of Bryant be done by transmitting to only the selected previously defined paths as in Dziong.

The motivation for combining the teaching is that this yields an scheme that is efficient and timely in recovery of services (Dziong, para. 8).

Regarding claim 15, Bryant describes a packet switch in a switch mesh (fig. 1, router R1 101 in a mesh network), comprising:

a plurality of ports configured to connect to a destination switch in the switching mesh (fig. 1, R1 101 has ports to other routers to R5 105 (destination switch));

a switch control device coupled to the plurality of ports (para. 88-89 & fig. 12, processor 144 (switch control device) connected to ports in a router) configured to define a set of paths from the packet switch to the destination switch (fig. 1 & para. 6-8, determining from a set of possible routes an optimal route (paths) between pair comprising R1 101 (source switch) and R5 105 (destination switch)), calculate start-up cost for the previous defined paths (para. 38, calculating the optimal route with the lowest-cost from all possible routes (start-up costs for the paths mentioned)), and execute directed cost protocol instructions in order to recalculate costs for previously defined paths (abstract & para. 35, updating (recalculating) routing information comprising cost metric after a delay) by receiving a directed cost packet down each of the previously defined paths from the destination switch to the source switch for each pair (fig. 1 in view of para. 8 & 28, R5 105 (destination switch) advertises change information throughout the network (to all links/previously defined paths), where

advertisements are propagated to (para. 34) (received by) to R1, and comprise associated cost, para. 5).

Bryant also describe its protocol using directed costs (fig. 1, two directional costs in each link & para. 5, a link may have asymmetric cost wherein cost in direction AB is different from cost in direction BA), and recalculating costs for the all (previously defined) paths using a cost protocol (para. 78, re-computing (re-calculating) & comparing LSPs (paths) for the optimal route (path) due to change in cost of a link) by transmitting a directed cost packet down all paths from the destination switch to the source switch for each pair (fig. 1 in view of para. 8 & 28, R5 105 (destination switch) advertises change information throughout the network (to all links/previously defined paths), where advertisements are propagated (para. 34) to R1 (source switch), and comprise associated cost, para. 5), but failed to explicitly describe:

recalculation by transmitting to only the (selected) previously defined paths.

Dziong also describes path calculation via cost, comprising:

recalculation by transmitting to only the (selected) previously defined paths (para. 143, recalculating each of the restoration paths that was determined in a previous step).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to specify that the recalculation of Bryant be done by transmitting to only the selected previously defined paths as in Dziong.

The motivation for combining the teaching is that this yields an scheme that is efficient and timely in recovery of services (Dziong, para. 8).

Regarding claim 16, Bryant further describes:

generate a cost packet with path information associated with a specific path between the packet switch and the destination switch (fig. 1 & para. 5, network node R5 (destination switch) advertises (generates) to R1 (packet switch) information comprising a cost metric associated to each individual link (a specific path)).

Regarding claim 17, Bryant further describes:

unicasting the cost packet via the specific path to the packet switch (para. 6, the generation & propagation (= forwarding) of the link state advertisement packet from one switch/router to another along any one route (specific path) is equivalent to unicasting).

Regarding claim 18, Bryant further describes:

repeating the recalculation at periodic intervals (abstract & para. 35, updating (recalculating) routing information comprising cost metric after a delay).

1. Claim 4-6 and 19-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bryant in view of Dziong as applied to claims 3 and 17 above respectively, and further in view of Kelsey (US 2005/0249215).

Regarding claim 4, Bryant fails to describe that the intermediate switches along the specific path each add cost information to the cost packet prior to forwarding the cost packet to a next switch along the specific path.

Kelsey describes that intermediate switches along the specific path each add cost information to the cost packet prior to forwarding the cost packet to a next switch

along the specific path (fig. 2 & para. 52, intermediate nodes B & C increment the accrued cost field 228 within the unicast message 220A).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to specify that the intermediate switches along the specific path add cost information of the cost packet as in Kelsey for the cost packets in Bryant and Dziong combined.

The motivation for combining the teachings is that such protocol with cost packet comprising an accrue cost field results is a more efficient routing (Kelsey, para. 31).

Regarding claim 5, Bryant further describes:

repeating the recalculation at periodic intervals (abstract & para. 35, updating (recalculating) routing information comprising cost metric after a delay).

Regarding claim 6, Bryant describes the use of cost packets, but fails to describe that the cost packet piggybacking information for more than one path.

Kelsey describes:

piggybacking information for more than one path into a packet (fig. 2 & para. 101, use of source routing comprises appending (piggybacking) each intermediate routing information to the cost-related packet 220B from source to destination).

Regarding claim 19, Bryant describes the use of cost packets, but fails to describe that the cost packet piggybacking information for more than one path.

Kelsey describes:

piggybacking information for more than one path into a packet (fig. 2 & para. 101, use of source routing comprises appending (piggybacking) each intermediate routing information to the cost-related packet 220B from source to destination).

Regarding claim 20, Bryant further suggests:

perform a flood discovery of paths at long periodic time intervals (para. 6, flooding of costs using LSP packets, propagating the updates in the order of 20 ms [longer] time intervals).

Regarding claim 21, Bryant further describes:

path costs determined by the flood discovery of paths are used to substitute more efficient paths for less efficient paths (para. 6, calculation of shortest path tree substitutes lowest cost paths (more efficient paths) for higher cost paths (less efficient paths)).

2. Claims 7 and 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bryant in view of Dziong as applied to claims 1 and 9 above respectively, and further in view of Erhart (US 20050068941).

Regarding claim 7, Bryant fails to describe: previously defined paths are identified by path tags inserted into packets sent between the mesh switches.

Erhart describes: previously defined paths are identified by path tags inserted into packets sent between the mesh switches (Erhart, para. 10, using Multiprotocol Label Switching network comprises labels (path tags) for each transmission packet).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant in using a communication scheme with a MPLS-based network as in Erhart for network communication in Bryant and Dziong.

The motivation for combining the teachings is that it leads to an increase of quality of service in a packet-switched network (Erhart, para. 6).

Regarding claim 10, Bryant further describes:

start-up cost packets are flooded through the mesh in order to define the set of paths between each pair of mesh switches and calculate the start-up costs (para. 6, flooding of costs using LSP packets in order to calculate and determine the lowest cost paths between each network node pair), but fails to describe:

previously defined paths are identified by path tags inserted into packets sent between the mesh switches.

Erhart describes: previously defined paths are identified by path tags inserted into packets sent between the mesh switches (Erhart, para. 10, using Multiprotocol Label Switching network comprises labels (path tags) for each transmission packet).

Regarding claim 11, Bryant further describes:

repeating the recalculation at periodic intervals (abstract & para. 35, updating (recalculating) routing information comprising cost metric after a delay).

3. Claims 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bryant in view of Dziong and Erhart as applied to claim 11, and further in view of Kelsey.

Regarding claim 12, Bryant, Dziong and Erhart combined describe the use of cost packet, but fail to describe:

generation at a second switch a cost packet with path information associated with a specific path that begins at a first switch and ends at the second switch and unicast transmission of the cost packet via the specific path to the first switch.

Kelsey describes:

generation at a second on switch a cost packet with path information associated with a specific path that begins at a first switch and ends at the second switch and unicast transmission of the cost packet via the specific path to the first switch (para. 101, source routing comprises generation of cost-related packet similar to fig. 2 220A at the second router/switch along with the entire source route comprising intermediate routing information to the first router/switch).

It would have been obvious to one with ordinary skill in the art at the time of invention by applicant to specify the use of source routing using the cost packet as in Kelsey for the cost packet transmission in the combined teachings of Bryant, Dziong and Erhart.

The motivation for combining the teachings is that such protocol with cost packet comprising an accrue cost field results is a more efficient routing (Kelsey, para. 31).

Regarding claim 13, Bryant, Dziong, Erhart and Kelsey combined further describe:

the intermediate switches along the specific path each add cost information to the cost packet prior to forwarding the cost packet to a next switch along the specific

path (Kelsey, fig. 2 & para. 52, intermediate nodes B & C increment the accrued cost field 228 within the unicast message 220A).

Regarding claim 14, Bryant, Dziong, Erhart and Kelsey combined further describe:

piggybacking information for more than one path into a packet (Kelsey, fig. 2 & para. 101, use of source routing comprises appending (piggybacking) each intermediate routing information to the cost-related packet 220B from source to destination).

Response to Arguments

4. Applicant's arguments with respect to claims 1-21 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to WARNER WONG whose telephone number is (571)272-8197. The examiner can normally be reached on 6:30AM - 3:00PM, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on (571) 272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Warner Wong
Examiner
Art Unit 2471

/Warner Wong/
Examiner, Art Unit 2471